

FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS**

Date of Report: May 5, 1995

Date Received: May 3, 1995

Project: #7238, 24 Hr. Metro (ACW), PO #M41264

Date Samples Extracted: May 4, 1995

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL AND ZINC
Samples Processed Using Method 3005
Results Reported as mg/L (ppm)**

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M41267	2.4	0.76	1.7	0.05
<u>Quality Assurance</u>				
Blank	<0.05	<0.05	<0.05	<0.05
M41267 (Duplicate)	2.4	0.81	1.7	0.11
M41267 (Matrix Spike) % Recovery	84%	77% ^{vo}	86%	92%
M41267 (Matrix Spike Duplicate) % Recovery	93%	80%	90%	95%
Spike Blank % Recovery	114%	104%	109%	107%
Spike Level	5	5	10	5

^{vo} Value reported fell outside the control limits established for this analyte.

BTB AI
05.03.95
2:50

Send Report To:

Contact GERALD Thompson

City, State, Zip Seattle WA

Phone # (726) 623-5000

Date 3-3-95

PURCHASE ORDER #

7238

24 hr Medico (ACW)

m 41264

SAMPLERS/(signature)

PROJECT LOCATION

REMARKS

3200 6th Ave

REMARKS

SAMPLE DISPOSAL INFORMATION

☐ Dispose after 30 days
☒ Return Samples
☐ Call for Instructions

[illegible]

SIGNATURE

PRINT NAME

COMPANY

Date: _____

Times

Relinquished by:

Gerald Thompson

Alaska Copper

5/3/55

2.81

Received by:

Cathy Riggs

FBI

5/3/95

2137

Relinquished by

Received by:

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

**Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282**

**3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044**

DUPLICATE COPY

May 5, 1995

INVOICE # 95ACU0505-1

**Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**

**RE: Project #7238, 24 Hr. Metro (ACW), PO #M41264: Results of testing
requested by Gerald Thompson, Project Leader for material submitted on
May 3, 1995.**

**1 water sample analyzed for Chromium, Copper,
Nickel and Zinc @ \$65 per sample**

\$ 65.00

Amount Due

\$ 65.00

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

May 5, 1995

Gerald Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134


Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on May 3, 1995 from your project #7238, 24 Hr. Metro (ACW), PO #M41264.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Bradley T. Benson
Chemist

jdp
Enclosures

ACU0505R

AKC-0012827